

ORDINANCE NO. _____

**AN ORDINANCE OF THE CITY COUNCIL OF THE
CITY OF CITY OF SANTA BARBARA REPEALING
CHAPTER 22.82 OF THE SANTA BARBARA
MUNICIPAL CODE AND ENACTING A NEW
CHAPTER 22.82 ESTABLISHING LOCAL ENERGY
EFFICIENCY STANDARDS FOR CERTAIN
BUILDINGS AND IMPROVEMENTS COVERED BY
THE 2008 CALIFORNIA BUILDING ENERGY
EFFICIENCY STANDARDS**

The City Council of the City of Santa Barbara does ordain as follows:

SECTION 1. Findings.

1. The modifications to the 2008 California Building Energy Efficiency Standards required by this ordinance are reasonably necessary due to local climatic conditions. Despite moderate summer ambient temperatures in the local area, the City of Santa Barbara is served by an energy system that may experience power outages or power reductions (i.e., “brown-outs”) during peak demand periods. Reduction of total and peak energy use as a result of incremental energy conservation measures required by this ordinance will have local and regional benefits in the cost-effective reduction of energy costs for the building owner, additional available system energy capacity, and a reduction in greenhouse gas emissions.

2. The proposed ordinance preserves and enhances the environment; in that it would set forth increased minimum energy efficiency standards within the City of Santa Barbara for buildings and improvements covered by the ordinance. In accordance with CEQA Section 15061(b)(3), “[C]EQA applies only to projects, which have the potential for causing a significant effect on the environment. Where it can be seen with certainty that there is no possibility that the activity in question may have a significant effect on the environment, the activity is not subject to CEQA.” Staff has determined that the proposed ordinance is exempt from CEQA review.

3. In order to maintain and advance the energy efficiency standards, it is in the best interest of the City to revisit this ordinance prior to expiration, ensuring that local energy standards meet the goals of reducing energy consumption, thereby saving on energy bills and decreasing greenhouse gas emissions.

4. The City has reviewed a study of the cost-effectiveness of the energy efficiency measures contained in this ordinance for the Climate Zones within the City’s jurisdiction. This study has concluded that the energy efficiency measures contained in this ordinance are cost-effective. The City Council hereby adopts the conclusions of this study and authorizes its inclusion in an application for consideration by the California Energy Commission in compliance with Public Resources Code 25402.1(h)(2).

SECTION 2. Chapter 22.82 of the Santa Barbara Municipal Code, titled “Energy Efficiency Standards is hereby repealed and a new Chapter 22.82 is enacted to read as follows:

22.82.010 Purpose.

This Chapter (“Energy Efficiency Standards”) sets forth increased minimum energy efficiency standards within the City of Santa Barbara for all new construction of any size, additions to existing buildings or structures over a certain size threshold, and the installation of new heaters or circulation pumps for swimming pools, spas and water features. This Chapter is intended to supplement the 2008 California Building Energy Efficiency Standards, as specified in California Code of Regulations, Title 24, Parts 1 and 6 (Standards). Compliance with the 2008 California Building Energy Efficiency Standards is required even if the increased minimum energy efficiency standards specified in this Chapter do not apply.

22.82.020 Definitions.

For purposes of this Chapter 22.82, words or phrases used in this Chapter that are specifically defined in Parts 1, 2, or 6 of Title 24 of the California Code of Regulations shall have the same meaning as given in the Code of Regulations. In addition, the following words and phrases shall have the meanings indicated, unless context or usage clearly requires a different meaning:

A. **2008 BUILDING ENERGY EFFICIENCY STANDARDS.** The standards and regulations adopted by the California Energy Commission contained in Parts 1 and 6 of Title 24 of the California Code of Regulations as such standards and regulations may be amended from time to time.

B. **EXISTING + ADDITION + ALTERATION.** An approach to modeling the TDV (time dependent valuation) energy use of an addition including the existing building and alterations as specified in the Residential Compliance Manual and Nonresidential Compliance Manual.

C. **NONRESIDENTIAL COMPLIANCE MANUAL.** The manual developed by the California Energy Commission, under Section 25402.1(e) of the Public Resources Code, to aid designers, builders, and contractors in meeting the requirements of the state’s 2008 Building Energy Efficiency Standards for nonresidential, high-rise residential, and hotel/motel buildings.

D. **RESIDENTIAL COMPLIANCE MANUAL.** The manual developed by the California Energy Commission, under Section 25402.1(e) of the Public Resources Code, to aid designers, builders, and contractors in meeting the requirements of the state’s 2008 Building Energy Efficiency Standards for low-rise residential buildings.

E. **SWIMMING POOL.** Any structure intended to contain water over 18 inches deep.

F. **TIME DEPENDENT VALUATION ENERGY or (“TDV ENERGY”).** The time varying energy caused to be used by the building or addition to provide space conditioning and water heating and, for specified buildings, lighting. TDV energy accounts for the energy used at the building site and consumed in producing and in delivering energy to a site, including, but not

limited to, power generation, transmission and distribution losses. TDV Energy is expressed in terms of thousands of British thermal units per square foot per year (kBtu/sq.ft.-yr).

G. **WATER FEATURE.** Any structure intended to contain water over 18 inches deep. Examples of water features include, but are not limited to, ponds and fountains.

22.82.030 Applicability.

A. The provisions of this Chapter apply to any of the following buildings or improvements for which a building permit is required by this Code:

1. Any new building or structure of any size,
2. Any addition to an existing building or structure where the addition is greater than 100 square feet of conditioned floor area,
3. Indoor lighting alterations in conditioned spaces greater than 100 square feet of floor area within nonresidential buildings,
4. All new heaters or circulation pumps for swimming pools, spas, and water features.

B. Subject to the limitations specified in this Section 22.82.030, the coverage of this Chapter shall be determined in accordance with the scope and application section of either the Residential Compliance Manual or Nonresidential Compliance Manual, as appropriate for the proposed occupancy.

22.82.040 Compliance.

A building permit application subject to the requirements of this Chapter will not be issued a building permit by the Building Official unless the energy compliance documentation submitted with the permit application complies with the requirements of this Chapter. A final inspection for a building permit subject to the requirements of this Chapter will not be approved unless the work authorized by the building permit has been constructed in accordance with the approved plans, conditions of approvals, and requirements of this Chapter.

22.82.050 Mandatory Energy Efficiency Requirements.

In addition to meeting all requirements of 2008 Building Energy Efficiency Standards, all applications for building permits that include buildings or improvements covered by this Chapter shall include the following mandatory energy efficiency measures as may be applicable to the proposed building or improvement:

A. **RESIDENTIAL BUILDINGS.** Any appliance to be installed in a residential building shall be Energy Star rated, if the appliance installed is of a type that is Energy Star rated and the appliance is not listed with minimum efficiency requirements in the latest edition of the National Appliance Energy Conservation Act (NAECA).

B. SWIMMING POOL AND SPA HEATER PUMPS. Any circulation pump to be installed for any swimming pool, spa, or water feature shall incorporate the following energy conservation feature:

1. All circulating pump motors and filtration pump motors with a nominal rating of 0.75 horsepower or greater (except pump motors only serving spa jets) shall be two-speed or variable speed motors. The installation of all two-speed and variable speed motors shall include the installation of a controller which shall be time-based and shall be programmed to alternate the speed of the motor between low and high to make effective use of the energy savings potential of the unit's multi-speed capability.

22.82.060 General Compliance Requirements.

In addition to any applicable mandatory requirements specified in Section 22.82.050 and the requirements of the 2008 Building Energy Efficiency Standards, the following general compliance requirements shall apply to permit applications subject to this Chapter as follows:

A. LOW-RISE RESIDENTIAL BUILDINGS. Applications for building permits that involve new low-rise residential buildings or additions to existing low-rise residential buildings where the additions are greater than 100 square feet of conditioned floor area shall demonstrate compliance with the general compliance requirements as follows:

1. **New Low-Rise Residential Buildings.** When an application for a building permit involves a new low-rise residential building, the performance approach specified in Section 151 of the 2008 Building Energy Efficiency Standards must be used to demonstrate that the TDV Energy of the proposed building is at least 15.0% less than the TDV Energy of the standard building.

2. **Additions to Low-Rise Residential Buildings.** When an application for a building permit involves an addition to an existing low-rise residential building, this general compliance requirement may be met by either of the following methods:

a. Using the performance approach specified in Section 151 of the 2008 Building Energy Efficiency Standards to demonstrate that the TDV Energy of the proposed addition is at least 15.0% less than the TDV Energy of the standard design; or,

b. Using the “Existing+Addition +Alteration” calculation methodology to demonstrate that the TDV Energy of the proposed building is at least 15.0% less than the TDV Energy of the standard design, as calculated in accordance with the performance approach specified in Section 151 of the 2008 Building Energy Efficiency Standards. In modeling buildings under the Existing+Addition+Alteration method, domestic hot water energy use must be included in the calculation model unless the application does not involve a change to the building’s existing water heater(s).

B. HIGH-RISE RESIDENTIAL BUILDINGS & HOTEL/MOTEL GUEST ROOMS. Applications for building permits that involve new high-rise residential buildings or

hotel/motel guest rooms , or additions to these occupancies where the additions are greater than 100 square feet of conditioned floor area, shall demonstrate compliance with the general compliance requirements as follows:

1. New High-Rise Residential Buildings and Hotel/Motel Guest Rooms.

The permit applicant shall use the Performance Approach to model the building using a state-approved energy compliance software program and demonstrate that the TDV Energy of the proposed building is at least 15.0% less than the TDV Energy of the standard building. In calculating the %-better-than-Title-24 in High-rise Residential projects, the TDV energy of the Process, Receptacle energy use components, and also Lighting energy use in the residential spaces, is omitted in both the proposed and standard designs.

2. Additions to High-Rise Residential Buildings and Hotel/Motel Guest Rooms. When an application for a building permit involves an addition to an existing high-rise residential building, the general compliance requirement may be met by either of the following methods:

a. Using the “Addition Alone” performance method to demonstrate that the TDV Energy sum of the energy components for the proposed addition specified in B.1.a(1) above is at least 15.0% less than the TDV Energy sum of the same energy components of the standard addition; or,

b. Using the “Existing+Addition +Alteration” performance method to demonstrate that the TDV Energy sum of the energy components for the proposed building specified in B.1.a(1) above is at least 10.0% less than the TDV Energy sum of the same energy components of the standard design.

C. NONRESIDENTIAL OCCUPANCIES. Applications for building permits that involve new nonresidential occupancies or additions to existing nonresidential occupancies where the additions are greater than 100 square feet of conditioned floor area shall demonstrate compliance with the general compliance requirements as follows:

1. New Nonresidential Buildings. When an application for a building permit involves a new nonresidential building, meeting the general compliance requirements established by this Chapter may be demonstrated by using either the prescriptive approach or performance approach as specified below:

a. **Prescriptive Approach.** Subject to the exceptions listed below and the provisions of the 2008 Building Energy Efficiency Standards, the prescriptive approach requires compliance with the prescriptive envelope requirement and/or the prescriptive indoor lighting requirement, depending upon the work proposed in the permit application, as specified below:

(1) **Prescriptive Envelopment Requirement.** The Overall Envelope TDV Energy Approach in Section 143(b) of the 2008 Building Energy Efficiency Standards shall be used to demonstrate that the Overall TDV energy of the proposed building is at least 10.0% less than the Overall TDV energy of the standard building; and/or,

(2) **Prescriptive Indoor Lighting Requirement.** The “Prescriptive Requirements for Indoor Lighting” contained in Section 146 of the 2008 Building Energy Efficiency Standards that apply to conditioned spaces shall be used to demonstrate that the Adjusted Actual (Installed) Watts are at least 10.0% less than the Total Allowed Watts.

(i) **Tailored Method Exception.** When using the Tailored Method in retail stores to determine compliance with the prescriptive requirements for indoor lighting, Display Lighting watts may be omitted from the above calculation.

(ii) **Small Alterations Exception.** Lighting alterations which encompass a gross conditioned floor area equal to or less than 100 square feet are exempt from the prescriptive indoor lighting requirement.

b. **Performance Approach.** If the applicant chooses the performance approach, the applicant shall select one of the following energy budget calculation methodologies to demonstrate compliance with the general compliance requirements:

(1) Model the building using a state-approved energy compliance software program and demonstrate that the TDV Energy of the proposed building is at least 15.0% less than the TDV Energy of the standard building. In calculating the %-better-than-Title-24, the TDV energy of the Process and Receptacle energy use components is omitted in both the proposed and standard designs.

2. **Additions to Nonresidential Buildings.** When an application for a building permit involves an addition to an existing nonresidential building, the general compliance requirement may be met by either of the following methods:

a. Using the “Addition Alone” performance method to demonstrate that the TDV Energy sum of the energy components for the proposed addition specified in B.1.a(1) above is at least 15.0% less than the TDV Energy sum of the same energy components of the standard addition; or,

b. Using the “Existing+Addition +Alteration” performance method to demonstrate that the TDV Energy sum of the energy components for the proposed building specified in B.1.a(1) above is at least 10.0% less than the TDV Energy sum of the same energy components of the standard design.

D. **DOCUMENTATION.** In order to demonstrate compliance with the requirements of this Section, a permit applicant may be required to submit supplementary forms and documentation in addition to the building drawings, specifications, and standard Title 24 report forms, as deemed appropriate by the Building Official.

22.822.070 Expiration.

 This Chapter 22.82 shall expire upon the expiration date of the state's 2008 Building Energy Efficiency Standards.